



RULE-MAKING ORDER PERMANENT RULE ONLY

CR-103P (December 2017) (Implements RCW 34.05.360)

CODE REVISER USE ONLY

OFFICE OF THE CODE REVISER
STATE OF WASHINGTON
FILED

DATE: December 21, 2018

TIME: 9:26 AM

WSR 19-02-020

Agency: Department of Social and Health Services, Developmental Disabilities Administration

Effective date of rule:

Permanent Rules

- 31 days after filing.
 Other (specify) February 1, 2019 (If less than 31 days after filing, a specific finding under RCW 34.05.380(3) is required and should be stated below)

Any other findings required by other provisions of law as precondition to adoption or effectiveness of rule?

- Yes No If Yes, explain:

Purpose: These amendments align DDA's current Supports Intensity Scale (SIS) with the American Association on Intellectual and Developmental Disabilities' (AAIDD's) latest version of the SIS-A (adult version).

Citation of rules affected by this order:

New: None
Repealed: None
Amended: WAC 388-828-4200, WAC 388-828-4220, WAC 388-828-4240, WAC 388-828-4260, WAC 388-828-4280, WAC 388-828-4300, WAC 388-828-4320, WAC 388-828-4360, WAC 388-828-4380, WAC 388-828-4400, WAC 388-828-5460, WAC 388-828-5700, WAC 388-828-5800, WAC 388-828-5900, WAC 388-828-8040, WAC 388-828-8060, WAC 388-828-9560, WAC 388-828-9580, WAC 388-828-9650, WAC 388-828-9660, WAC 388-828-9670, WAC 388-828-9680
Suspended: None

Statutory authority for adoption: RCW 71A.12.030, RCW 71A.12.120

Other authority:

PERMANENT RULE (Including Expedited Rule Making)

Adopted under notice filed as WSR 18-21-134 on 10/19/2018 (date).
Describe any changes other than editing from proposed to adopted version: None.

If a preliminary cost-benefit analysis was prepared under RCW 34.05.328, a final cost-benefit analysis is available by contacting:

Name: Chantelle Diaz
Address: P.O Box 45310, Olympia, WA 98504-5310
Phone: 360-407-1589
Fax: 360-407-0955
TTY: 1-800-833-6388
Email: Chantelle.Diaz@dshs.wa.gov
Web site:
Other:

**Note: If any category is left blank, it will be calculated as zero.
No descriptive text.**

**Count by whole WAC sections only, from the WAC number through the history note.
A section may be counted in more than one category.**

The number of sections adopted in order to comply with:

Federal statute:	New	___	Amended	___	Repealed	___
Federal rules or standards:	New	___	Amended	___	Repealed	___
Recently enacted state statutes:	New	___	Amended	___	Repealed	___

The number of sections adopted at the request of a nongovernmental entity:

New	___	Amended	___	Repealed	___
-----	-----	---------	-----	----------	-----

The number of sections adopted on the agency's own initiative:

New	___	Amended	___	Repealed	___
-----	-----	---------	-----	----------	-----

The number of sections adopted in order to clarify, streamline, or reform agency procedures:

New	___	Amended	22	Repealed	___
-----	-----	---------	----	----------	-----

The number of sections adopted using:

Negotiated rule making:	New	___	Amended	___	Repealed	___
Pilot rule making:	New	___	Amended	___	Repealed	___
Other alternative rule making:	New	___	Amended	22	Repealed	___

Date Adopted: December 20, 2018

Name: Katherine I. Vasquez

Title: DSHS Rules Coordinator

Signature:



WAC 388-828-4200 What activities are assessed in the home living activities subscale of the support needs scale? The home living activities subscale measures your personal support needs for the following home living activities:

#	Home living activities	Type of support					Frequency of support					Daily support time					Raw score
		0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
A1	((Using the toilet)) <u>Operating home appliances/electronics</u>	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
A2	<u>Bathing and taking care of</u> ((clothes (includes laundering))) <u>personal hygiene and grooming needs</u>	0	1	2	3	4	0	1	2	3	((4)) *	0	1	2	3	4	
A3	((Preparing food)) <u>Using the toilet</u>	0	1	2	3	4	0	1	2	3	((*))) 4	0	1	2	3	4	
A4	((Eating food)) <u>Dressing</u>	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
A5	((Housekeeping and cleaning)) <u>Preparing food</u>	0	1	2	3	4	0	1	2	3	((4)) *	0	1	2	((*))) 3	((*))) 4	
A6	((Dressing)) <u>Eating food</u>	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
A7	((Bathing and)) <u>Taking care of</u> ((personal hygiene and grooming needs)) <u>clothes, including laundering</u>	0	1	2	3	4	0	1	2	3	((*))) 4	0	1	2	3	4	
A8	((Operating home appliances)) <u>Housekeeping and cleaning</u>	0	1	2	3	4	0	1	2	3	4	0	1	2	((3)) *	((4)) *	
A9	Using currently prescribed equipment or treatment	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
Total raw score for home living activities:																	
* = Score is not an option per AAIDD. Note: Question A9 is a question added by ((DD)) <u>DDA</u> . It is for ((information)) <u>informational</u> purposes only and is not used to calculate scores or levels for service determination.																	

WAC 388-828-4220 What activities are assessed in the community living activities subscale of the support needs scale? The community

living activities subscale measures your personal support needs for the following community living activities:

#	Community living activities	Type of support					Frequency of support					Daily support time					Raw score
B1	Getting from place to place throughout the community (transportation)	0	1	2	3	4	0	1	2	3	*	0	1	2	3	4	
B2	Participating in recreation/leisure activities in community ((settings))	0	1	2	3	4	0	1	2	3	*	0	1	2	3	4	
B3	((Using public services in the)) Participating in preferred community activities (churches, volunteer, etc.)	0	1	2	3	4	0	1	2	3	*	0	1	2	3	4	
B4	((Going to visit friends and family)) Accessing public buildings and settings	0	1	2	3	4	0	1	2	3	((())) 4	0	1	2	3	4	
B5	((Participating)) Using public services in ((preferred)) the community ((activities (church, volunteer, etc.)))	0	1	2	3	4	0	1	2	3	*	0	1	2	3	4	
B6	Shopping and purchasing goods and services	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
B7	Interacting with community members	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
B8	((Accessing public buildings and settings)) Going to visit friends and family	0	1	2	3	4	0	1	2	3	(((())) 4))) *	0	1	2	3	4	
Total raw score for community living activities:																	
* = Score is not an option per AAIDD.																	

AMENDATORY SECTION (Amending WSR 07-10-029, filed 4/23/07, effective 6/1/07)

WAC 388-828-4240 What activities are assessed in the lifelong learning activities subscale of the support needs scale? The lifelong learning activities subscale measures your personal support needs for the following lifelong learning activities:

#	Lifelong learning activities	Type of support					Frequency of support					Daily support time					Raw score
C 1	((Interacting with others in learning activities)) Learning and using problem-solving strategies	0	1	2	3	4	0	1	2	3	((())) 4	0	1	2	3	4	
C 2	((Participating in training/educational decisions)) Learning functional academics (reading signs, counting change, etc.)	0	1	2	3	4	0	1	2	3	((())) 4	0	1	2	3	((())) 4	

#	Lifelong learning activities	Type of support					Frequency of support					Daily support time					Raw score
		0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
C 3	Learning ((and using problem-solving strategies)) <u>health and physical education skills</u>	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
C 4	((Using technology for)) <u>Learning self-determination skills</u>	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
C 5	((Accessing training/educational settings)) <u>Learning self-management strategies</u>	0	1	2	3	4	0	1	2	3	((4)) *	0	1	2	3	4	
C 6	((Learning functional academics (reading signs, counting change, etc.))) <u>Participating in training/educational decisions</u>	0	1	2	3	4	0	1	2	3	((4)) *	0	1	2	3	((4)) *	
C 7	((Learning health and physical education skills)) <u>Accessing training/educational settings</u>	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
C 8	<u>Interacting with others in learning ((self-determination skills)) activities</u>	0	1	2	3	4	0	1	2	3	((4)) *	0	1	2	3	4	
C 9	<u>Using technology for learning ((self-management strategies))</u>	0	1	2	3	4	0	1	2	3	((*)) 4	0	1	2	3	4	
Total raw score for lifelong learning activities:																	
* = Score is not an option per AAIDD.																	

AMENDATORY SECTION (Amending WSR 07-10-029, filed 4/23/07, effective 6/1/07)

WAC 388-828-4260 What activities are assessed in the employment activities subscale of the support needs scale? The employment activities subscale measures your personal support needs for the following employment activities:

#	Employment activities	Type of support					Frequency of support					Daily support time					Raw score
		0	1	2	3	4	0	1	2	3	*	0	1	2	3	4	
D1	((Accessing/receiving/job/tasks accommodations)) <u>Learning and using specific job skills</u>	0	1	2	3	4	0	1	2	3	*	0	1	2	3	4	
D2	((Learning and using specific job skills)) <u>Accessing/receiving job/task accommodations</u>	0	1	2	3	4	0	1	2	3	*	0	1	2	3	4	
D3	<u>Interacting with co-workers</u>	0	1	2	3	4	0	1	2	3	*	0	1	2	3	4	
D4	<u>Interacting with supervisors ((and/or)) / coaches</u>	0	1	2	3	4	0	1	2	3	*	0	1	2	3	4	

#	Employment activities	Type of support					Frequency of support					Daily support time					Raw score
		0	1	2	3	4	0	1	2	3	*	0	1	2	3	4	
D5	Completing work-related tasks with acceptable speed	0	1	2	3	4	0	1	2	3	*	0	1	2	3	4	
D6	Completing work-related tasks with acceptable quality	0	1	2	3	4	0	1	2	3	*	0	1	2	3	4	
D7	Changing job assignments	0	1	2	3	4	0	1	2	*	*	0	1	2	3	4	
D8	Seeking information and assistance from an employer	0	1	2	3	4	0	1	2	3	*	0	1	2	3	4	
Total raw score for employment activities:																	
* = Score is not an option per AAIDD.																	

AMENDATORY SECTION (Amending WSR 07-10-029, filed 4/23/07, effective 6/1/07)

WAC 388-828-4280 What activities are assessed in the health and safety activities subscale of the support needs scale? The health and safety activities subscale measures your personal support needs for the following health and safety activities:

#	Health and safety activities	Type of support					Frequency of support					Daily support time					Raw score
		0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
E1	Taking medications	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
E2	((Avoiding health)) <u>Ambulating and</u> ((safety hazards)) <u>moving about</u>	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
E3	((Obtaining health care services)) <u>Avoiding health and safety hazards</u>	0	1	2	3	4	0	1	2	3	4	0	1	2	((())) <u>3</u>	((())) <u>4</u>	
E4	((Ambulating and moving about)) <u>Obtaining health care services</u>	0	1	2	3	4	0	1	2	3	4	0	1	2	((())) <u>3</u>	((())) <u>4</u>	
E5	Learning how to access emergency services	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
E6	Maintaining a nutritious diet	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
E7	Maintaining physical health and fitness	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
E8	Maintaining emotional well-being	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
Total raw score for health and safety activities:																	
* = Score is not an option per AAIDD.																	

AMENDATORY SECTION (Amending WSR 07-10-029, filed 4/23/07, effective 6/1/07)

WAC 388-828-4300 What activities are assessed in the social activities subscale of the support needs scale? The social activities

subscale measures your personal support needs for the following social activities:

#	Social activities	Type of support					Frequency of support					Daily support time					Raw score
F1	((Socializing within the household)) Using appropriate social skills	0	1	2	3	4	0	1	2	3	((*)) 4	0	1	2	3	4	
F2	Participating in recreation ((and/or)) / leisure activities with others	0	1	2	3	4	0	1	2	3	*	0	1	2	3	4	
F3	Socializing outside the household	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
F4	Making and keeping friends	0	1	2	3	4	0	1	2	3	*	0	1	2	3	4	
F5	((Communicating with others about personal needs)) Engaging in loving and intimate relationships	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
F6	((Using appropriate social skills)) Socializing within the household	0	1	2	3	4	0	1	2	3	((4)) *	0	1	2	3	4	
F7	((Engaging in loving and intimate relationships)) Communicating with others about personal needs	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
F8	Engaging in volunteer work	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
Total raw score for social activities:																	
* = Score is not an option per AAIDD.																	

AMENDATORY SECTION (Amending WSR 07-10-029, filed 4/23/07, effective 6/1/07)

WAC 388-828-4320 What activities are assessed in the supplemental protection and advocacy activities subscale? The supplemental protection and advocacy activities subscale measures your personal support needs for the following protection and advocacy activities:

#	Protection and advocacy activities	Type of support					Frequency of support					Daily support time					Raw score
G1	Advocating for self	0	1	2	3	4	0	1	2	3	*	0	1	2	3	4	
G2	((Managing money)) Making choices and ((personal finances)) decisions	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
G3	Protecting self from exploitation	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
G4	Exercising legal/civic responsibilities	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
G5	Belonging to and participating in self-advocacy/support organizations	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
G6	Obtaining legal services	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
G7	((Making choices)) Managing money and ((decisions)) personal finances	0	1	2	3	4	0	1	2	3	4	0	1	2	3	4	
G8	Advocating for others	0	1	2	3	4	0	1	2	3	*	0	1	2	3	4	
Total raw score for protection and advocacy activities:																	

#	Protection and advocacy activities	Type of support	Frequency of support	Daily support time	Raw score
* = Score is not an option for AAIDD.					

AMENDATORY SECTION (Amending WSR 07-10-029, filed 4/23/07, effective 6/1/07)

WAC 388-828-4360 What exceptional medical support activities are evaluated to assess your medical support needs? The SIS exceptional medical support needs scale measures your personal support needs for the following medical support need(s) activities:

#	Medical supports needed	No support needed	Some support needed	Extensive support needed
1.	Inhalation or oxygen therapy	0	1	2
2.	Postural drainage	0	1	2
3.	Chest PT	0	1	2
4.	Suctioning	0	1	2
5.	Oral stimulation or jaw positioning	0	1	2
6.	Tube feeding (e.g., nasogastric)	0	1	2
7.	Parenteral feeding (e.g., IV)	0	1	2
8.	Turning or positioning	0	1	2
9.	Dressing of open wound(s)	0	1	2
10.	Protection from infectious diseases due to immune system impairment	0	1	2
11.	Seizure management	0	1	2
12.	Dialysis	0	1	2
13.	Ostomy care	0	1	2
14.	Lifting and/or transferring	0	1	2
15.	Therapy services	0	1	2
16.	((Diabetes Management*)) Hypertension	0	1	2
17.	((Other(s) - Specify:)) Allergies	0	1	2
18.	Diabetes	0	1	2
19.	Other(s) - specify	0	1	2
Subtotal scores of 1s and 2s:				
Add subtotals scores for 1s and 2s for total exceptional medical support needs score:				
((* #16 is a question added by DDD. It is used as part of the DDD medical acuity scale and is not used to calculate SIS percentiles.))				

AMENDATORY SECTION (Amending WSR 07-10-029, filed 4/23/07, effective 6/1/07)

WAC 388-828-4380 What exceptional behavioral support activities are evaluated to assess your behavioral support needs? The SIS exceptional behavioral support needs scale measures your personal support needs for the following behaviors:

#	Behavioral supports needed	No support needed	Some support Needed	Extensive support needed
1.	Prevention of ((assaults or injuries to others)) <u>emotional outbursts</u>	0	1	2
2.	Prevention of ((property destruction (e.g., fire setting, breaking furniture))) <u>assault or injury to others</u>	0	1	2
3.	Prevention of ((stealing)) <u>property destruction (e.g. fire setting, breaking furniture)</u>	0	1	2
4.	Prevention of ((self-injury)) <u>stealing</u>	0	1	2
5.	Prevention of ((PICA (ingestion of inedible substances))) <u>self-injury</u>	0	1	2
6.	Prevention of suicide attempts	0	1	2
7.	Prevention of ((sexual aggression)) <u>PICA (ingestion of inedible substances)</u>	0	1	2
8.	Prevention of nonaggressive but inappropriate behavior (e.g., exposes self in public, exhibitionism, inappropriate touching or gesturing)	0	1	2
9.	Prevention of ((tantrums or emotional outbursts)) <u>sexual aggression</u>	0	1	2
10.	Prevention of ((wandering)) <u>substance abuse</u>	0	1	2
11.	Prevention of ((substance abuse)) <u>wandering</u>	0	1	2
12.	Maintenance of mental health treatments	0	1	2
13.	Managing attention-seeking behavior*	0	1	2
14.	Managing uncooperative behavior*	0	1	2
15.	Managing agitated/over reactive behavior*	0	1	2
16.	Managing obsessive/repetitive behavior*	0	1	2
17.	Prevention of other serious behavior problem(s) - Specify:	0	1	2
Subtotal scores of 1s and 2s:				
Add subtotals scores for 1s and 2s for total exceptional behavioral support needs scores:				
* #13-16 are questions added by ((DDD)) <u>DDA</u> . They are used as part of the ((DDD)) <u>DDA</u> behavior acuity scale and are not used to calculate SIS percentiles.				

AMENDATORY SECTION (Amending WSR 07-10-029, filed 4/23/07, effective 6/1/07)

WAC 388-828-4400 How does ~~((DDD))~~ DDA determine if you meet the eligibility requirements for ~~((ICF/MR))~~ ICF/IID level_of_care if you are age sixteen or older? If you are age sixteen or older, ~~((DDD))~~ DDA determines you to be eligible for ~~((ICF/MR))~~ ICF/IID level_of_care from your SIS scores. Eligibility for ~~((ICF/MR))~~ ICF/IID level_of_care requires that your scores meet at least one of the following:

- (1) You have a percentile rank ~~((that is))~~ over nine percent for three or more of the six subscales in the SIS support needs scale;
- (2) You have a percentile rank ~~((that is))~~ over twenty-five percent for two or more of the six subscales in the SIS support needs scale;
- (3) You have a percentile rank ~~((that is))~~ over fifty percent in at least one of the six subscales in the SIS support needs scale;

(4) You have a support score of one or two for any of the questions listed in the SIS exceptional medical support needs scale;

(5) You have a support score of one or two for at least one of the following items in the SIS exceptional behavior support needs scale:

- (a) Prevention of assaults or injuries to others;
- (b) Prevention of property destruction (e.g., fire setting, breaking furniture);
- (c) Prevention of self-injury;
- (d) Prevention of PICA (ingestion of inedible substances);
- (e) Prevention of suicide attempts;
- (f) Prevention of sexual aggression; or
- (g) Prevention of wandering.

(6) You have a support score of two for any of the questions listed in the SIS exceptional behavior support needs scale; or

(7) You meet or exceed any of the qualifying scores for one or more of the following SIS questions:

Question # of SIS support needs scale	Text of question	Your score for "Type of support" is:	And your score for "Frequency of support" is:
((A1)) <u>A2</u>	((Using the toilet)) <u>Bathing and take care of personal hygiene and grooming needs</u>	2 or more	4
		3 or more	2
((A2)) <u>A3</u>	((Taking care of clothes)) <u>Using the toilet</u>	2 or more	((2 or more)) <u>4</u>
		3 or more	((1)) <u>2</u>
((A3)) <u>A4</u>	((Preparing food)) <u>Dressing</u>	2 or more	4
		3 or more	2
((A4)) <u>A5</u>	((Eating)) <u>Preparing food</u>	2 or more	4
		3 or more	2
((A5)) <u>A6</u>	((Housekeeping and cleaning)) <u>Eating food</u>	2 or more	((2 or more)) <u>4</u>
		3 or more	((1)) <u>2</u>
((A6)) <u>A7</u>	((Dressing)) <u>Taking care of clothes, including laundering</u>	2 or more	((4)) <u>2 or more</u>
		3 or more	((2)) <u>1</u>
((A7)) <u>A8</u>	((Bathing and taking care of personal hygiene)) <u>Housekeeping and ((grooming needs)) cleaning</u>	2 or more	((4)) <u>2 or more</u>
		3 or more	((2)) <u>1</u>
((E3)) <u>B6</u>	((Learning)) <u>Shopping and ((using problem-solving strategies)) purchasing goods and services</u>	2 or more	((3)) <u>2 or more</u>
		3 or more	((2)) <u>1</u>
((E9)) <u>C1</u>	<u>Learning ((self-management)) and using problem-solving strategies</u>	2 or more	3 or more
		3 or more	2
((B6)) <u>C5</u>	((Shopping and purchasing goods and services)) <u>Learning self-management strategies</u>	2 or more	((2)) <u>3 or more</u>
		3 or more	((1)) <u>2</u>
E1	<u>Taking medications</u>	2 or more	4
		3 or more	2
E2	((Avoiding health)) <u>Ambulating and ((safety hazards)) moving about</u>	2 or more	((3 or more)) <u>4</u>
		3 or more	2
((E4)) <u>E3</u>	((Ambulating)) <u>Avoiding health and ((moving about)) safety hazards</u>	2 or more	((4)) <u>3 or more</u>
		3 or more	2
E6	<u>Maintaining a nutritious diet</u>	2 or more	2 or more
		3 or more	1

Question # of SIS support needs scale	Text of question	Your score for "Type of support" is:	And your score for "Frequency of support" is:
E8	Maintaining emotional well-being	2 or more	3 or more
		3 or more	2
((F6)) <u>F1</u>	Using appropriate social skills	2 or more	3 or more
		3 or more	2
((G2)) <u>G7</u>	Managing money and personal finances	2 or more	2 or more
		3 or more	1

AMENDATORY SECTION (Amending WSR 07-10-029, filed 4/23/07, effective 6/1/07)

WAC 388-828-5460 How does ((DDD)) DDA determine your ADL support needs score if you are age sixteen or older? (1) If you are age sixteen or older, your ADL support needs score is the total adjusted "Type of support" scores from the following SIS questions:

ADL questions from the SIS assessment in WAC 388-828-4200 and 388-828-4280	
Question #	Text of ADL questions:
<u>A2</u>	<u>Bathing and taking care of personal hygiene and grooming needs</u>
((A1)) <u>A3</u>	Using the toilet
A4	((Eating food)) <u>Dressing</u>
A6	((Dressing)) <u>Eating food</u>
((A7	<u>Bathing and taking care of personal hygiene and grooming needs</u>)
E1	Taking medications
((E4)) <u>E2</u>	Ambulating and moving about

(2) If your "Frequency of support" score for a SIS ADL question is zero or one, adjust your "Type of support" score for that question to zero.

(3) If your "Frequency of support" score for a SIS ADL support question is two, three, or four, no adjustment is needed to your "Type of support" score.

Example:

SIS ADL Questions	Text of SIS ADL Questions	If your "Frequency of Support" score is:	And your "Type of Support" score is:	Then your adjusted "Type of Support" score is:
<u>A2</u>	<u>Bathing and taking care of personal hygiene and grooming needs</u>	<u>1</u>	<u>2</u>	<u>0</u>
((A1)) <u>A3</u>	Using the toilet	3	3	3
A4	((Eating food)) <u>Dressing</u>	((1)) <u>3</u>	((2)) <u>3</u>	((0)) <u>3</u>
A6	((Dressing)) <u>Eating food</u>	((3)) <u>1</u>	((3)) <u>2</u>	((3)) <u>0</u>
((A7	<u>Bathing and taking care of personal hygiene and grooming needs</u>)	1	2	0)
E1	Taking medications	3	2	2
((E4)) <u>E2</u>	Ambulating and moving about	0	0	0
Your SIS ADL support needs score:				8

AMENDATORY SECTION (Amending WSR 07-10-029, filed 4/23/07, effective 6/1/07)

WAC 388-828-5700 How does ((DDD)) DDA determine your medical acuity level? ((DDD)) DDA uses your SIS support scores to questions in the exceptional medical support needs scale per WAC 388-828-4360 and the following table to determine your medical acuity level:

If you meet the following criteria:	Then your medical acuity level is:	Value
(1) If you have a score of 2 on questions 1, 4, and 7;	High	3
(2) If you have a score of 2 on any two of the following questions: 2, 3, 5, 6, 8, 9, 10, 11, 12, 13, 14, 16, ((E7)) 17, 18, or 19;	High	3
(3) If your total exceptional medical support needs score is 8 or higher;	High	3
(4) If you have a score of 2 on any of the following questions: 2, 3, 5, 6, 8, 9, 10, 11, 12, 13, 14, 16, ((E7)) 17, 18, or 19 and do not meet the criteria for a high medical acuity level;	Medium	2
(5) If your total exceptional medical support needs score is 6 or 7 and you do not meet the criteria for a high medical acuity level;	Medium	2
(6) If your total exceptional medical support needs score is 5 or less, but greater than zero, and you do not have a score of 2 on any questions excluding number 15;	Low	1
(7) If your total exceptional medical support needs score equals zero.	None	0

AMENDATORY SECTION (Amending WSR 07-10-029, filed 4/23/07, effective 6/1/07)

WAC 388-828-5800 How does ((DDD)) DDA determine your interpersonal support needs score if you are age sixteen or older? If you are age sixteen or older, your interpersonal support needs score is determined by adding your raw scores to the following SIS questions:

Interpersonal support needs questions from the SIS assessment	
Question #	Text of interpersonal support needs questions:
B7	Interacting with community members
((C1)) <u>C8</u>	Interacting with others in learning activities
D3	Interacting with co-workers
D4	Interacting with supervisors/coaches
D8	Seeking information and assistance from an employer
F1	((Socializing within the household)) <u>Using appropriate social skills</u>
F3	Socializing outside the household
((F5)) <u>F6</u>	((Communicating with others about personal needs)) <u>Socializing within the household</u>
((F6)) <u>F7</u>	((Using appropriate social skills)) <u>Communicating with others about personal needs</u>

AMENDATORY SECTION (Amending WSR 07-10-029, filed 4/23/07, effective 6/1/07)

WAC 388-828-5900 How does ((~~DD~~) DDA determine your mobility acuity level if you are age sixteen or older? If you are age sixteen or older, your mobility acuity level is determined by your scores to question ((~~E4~~) E2 "Ambulating and moving about" in WAC 388-828-4280 using the following table:

If ((you) your score for "Frequency of Support" is:	And your score for "Type of Support" is:	Then your Mobility Acuity Level is:	Value
3 or 4	4	High	3
3 or 4	3	Medium	2
If your raw score for question ((E4) <u>E2</u> is 5 or more and you do not meet the criteria for a high or medium mobility acuity level		Low	1
If your raw score for question ((E4) <u>E2</u> is 4 or less		None	0

AMENDATORY SECTION (Amending WSR 07-10-029, filed 4/23/07, effective 6/1/07)

WAC 388-828-8040 How does ((~~DD~~) DDA determine which health and welfare needs must be addressed in your individual support plan if you are age birth through fifteen? If you are age birth through fifteen and are receiving ((~~DD~~) DDA HCBS waiver services or reside in a state only residential setting, ((~~DD~~) DDA uses the following tables to determine the health and welfare needs that must be addressed in your individual support plan:

(1) Activities from the support needs assessment for children:

#	Questions in the Support Needs Assessment for Children:	((DD) DDA must address in your ((ISP) PSCP if you have an acuity score of:	Health and Welfare Category
1	Dress and groom self	2 or more	Home Living
2	Toilet self	2 or more	Home Living
3	Eat at age level	3 or more	Home Living
4	Move around	3 or more	Home Living
5	Communicate	2 or more	Home Living
7	Make choices and take responsibility	2 or more	Protection and Advocacy
8	Explore environment	3 or more	Community Living
9	Meet therapy health needs	1 or more	Medical Supports
10	Help family continue to meet child's needs	1 or more	Protection and Advocacy
15	Identify and respond safely to emergencies	1 or more	Health and Safety
16	Practice age-level safety measures	2 or more	Protection and Advocacy
17	Effectively relate to other students/peers	3 or more	Employment

#	Questions in the Support Needs Assessment for Children:	((DDD)) DDA must address in your ((ISP)) PSCP if you have an acuity score of:	Health and Welfare Category
18	Have behaviors which promote being included	3 or more	Behavior Supports

(2) Medical supports from the SIS exceptional medical support needs scale

#	Questions in the Exceptional Medical Support Needs Scale	((DDD)) DDA must address in your ((ISP)) PSCP if you have an acuity score of:	Health and Welfare Category
1	Inhalation or oxygen therapy	1 or more	Medical Supports
2	Postural drainage	1 or more	Medical Supports
3	Chest PT	1 or more	Medical Supports
4	Suctioning	1 or more	Medical Supports
5	Oral Stimulation or Jaw Repositioning	1 or more	Medical Supports
6	Tube feeding (e.g., nasogastric)	1 or more	Medical Supports
7	Parenteral feeding (e.g., IV)	1 or more	Medical Supports
8	Turning or positioning	1 or more	Medical Supports
9	Dressing of open wound(s)	1 or more	Medical Supports
10	Protection from infectious diseases due to immune system impairment	1 or more	Medical Supports
11	Seizure management	1 or more	Medical Supports
12	Dialysis	1 or more	Medical Supports
13	Ostomy care	1 or more	Medical Supports
14	Lifting and/or transferring	1 or more	Medical Supports
15	Therapy services	1 or more	Medical Supports
16	((Diabetes management)) Hypertension	1 or more	Medical Supports
17	((Other(s))) Allergies	1 or more	Medical supports
18	Diabetes	1 or more	Medical supports
19	Other(s)-Specify	1 or more	Medical Supports

(3) Behavioral supports from the SIS exceptional behavior support needs scale

#	Questions in the Exceptional Behavior Support Needs Scale:	((DDD)) DDA must address in your ((ISP)) PSCP if you have an acuity score of:	Health and Welfare Category
1	Prevention of ((assaults or injuries to others)) <u>emotional outbursts</u>	1 or more	Behavioral Supports
2	Prevention of ((property destruction (e.g., fire setting, breaking furniture))) <u>assault or injury to others</u>	1 or more	Behavioral Supports
3	Prevention of ((stealing)) <u>property destruction (e.g., fire setting, breaking furniture)</u>	1 or more	Behavioral Supports
4	Prevention of ((self-injury)) <u>stealing</u>	1 or more	Behavioral Supports
5	Prevention of ((pica (ingestion of inedible substances))) <u>self-injury</u>	1 or more	Behavioral Supports
6	Prevention of suicide attempts	1 or more	Behavioral Supports
7	Prevention of ((sexual aggression)) <u>pica (ingestion of inedible substances)</u>	1 or more	Behavioral Supports

#	Questions in the Exceptional Behavior Support Needs Scale:	((DD) <u>DDA</u> must address in your ((<u>ISP</u>)) <u>PSCP</u> if you have an acuity score of:	Health and Welfare Category
8	Prevention of nonaggressive but inappropriate behavior (e.g., exposes self in public, exhibitionism, inappropriate touching or gesturing)	1 or more	Behavioral Supports
9	Prevention of ((tantrums or emotional outbursts)) <u>sexual aggression</u>	1 or more	Behavioral Supports
10	Prevention of ((wandering)) <u>substance abuse</u>	1 or more	Behavioral Supports
11	Prevention of ((substance abuse)) <u>wandering</u>	1 or more	Behavioral Supports
12	Maintenance of mental health treatments	1 or more	Behavioral Supports
13	Managing attention-seeking behavior	1 or more	Behavioral Supports
14	Managing uncooperative behavior	1 or more	Behavioral Supports
15	Managing agitated/over-reactive behavior	1 or more	Behavioral Supports
16	Managing obsessive/repetitive behavior	1 or more	Behavioral Supports
17	Prevention of other serious behavior problem(s)- <u>Specify</u>	1 or more	Behavioral Supports

(4) Caregiver from the SIS exceptional behavior support needs scale

#	Question in the ((DD) <u>DDA</u> Caregiver Status Acuity Scale:	((DD) <u>DDA</u> must address in your ((<u>ISP</u>)) <u>PSCP</u> if you have a score:	Health and Welfare Category
6	How long do you think you expect to continue providing care?	1 to 6 months or less than 1 month	((DD) <u>DDA</u> Caregiver Status

AMENDATORY SECTION (Amending WSR 07-10-029, filed 4/23/07, effective 6/1/07)

WAC 388-828-8060 How does ((~~DD~~) DDA determine which health and welfare needs must be addressed in your individual support plan if you are age sixteen or older? (1) If you are age sixteen or older and receiving ((~~DD~~) DDA HCBS waiver services or reside in a state-only residential setting, ((~~DD~~) DDA uses the following table to determine the health and welfare needs that must be addressed in your individual support plan:

#	SIS Activity	((DD) <u>DDA</u> must address in the ((<u>ISP</u>)) <u>PSCP</u> if your Type of Support score is:	Health and Welfare Category
A1	((Using the toilet)) <u>Operating home appliances</u>	3 or more	Home Living
A2	Bathing and taking care of ((clothes (includes laundering))) <u>personal hygiene and grooming needs</u>	3 or more	
A3	((Preparing food)) <u>Using the toilet</u>	3 or more	
A4	((Eating food)) <u>Dressing</u>	3 or more	
A5	((Housekeeping and cleaning)) <u>Preparing food</u>	3 or more	
A6	((Dressing)) <u>Eating food</u>	3 or more	

#	SIS Activity	((DDD)) DDA must address in the ((ISP)) PSCP if your Type of Support score is:	Health and Welfare Category
A7	((Bathing and)) Taking care of ((personal hygiene and grooming needs)) <u>clothes, including laundering</u>	3 or more	Health and Welfare Category
A8	((Operating home appliances)) <u>Housekeeping and cleaning</u>	3 or more	
A9	Using currently prescribed equipment or treatment	3 or more	
B1	Getting from place to place throughout the community (transportation)	2 or more	Community Living
B2	Participating in recreation/leisure activities in the community ((settings))	2 or more	
((B3))	<u>Using public services in the community</u>	2 or more)	
B4	((Going to visit friends and family)) <u>Accessing public buildings and settings</u>	((4)) <u>2 or more</u>	
<u>B5</u>	<u>Using public services in the community</u>	<u>2 or more</u>	
B6	Shopping and purchasing goods and services	2 or more	
B7	Interacting with community members	4	
B8	((Accessing public buildings and settings)) <u>Going to visit friends and family</u>	((2 or more)) <u>4</u>	
D3	Interacting with co-workers	3 or more	Employment
D4	Interacting with supervisors and or coaches	3 or more	
E1	Taking medications	2 or more	Health and Safety
E2	((Avoiding health and safety hazards)) <u>Ambulating and moving about</u>	3 or more	
E3	((Obtaining health care services)) <u>Avoiding health and safety hazards</u>	3 or more	
E4	((Ambulating and moving about)) <u>Obtaining health care services</u>	3 or more	
E6	Maintaining a nutritious diet	3 or more	
E7	Maintaining physical health and fitness	3 or more	
F2	Participating in recreation/leisure activities with others	2 or more	
F4	Making and keeping friends	4	
F6	((Using appropriate social skills)) <u>Socializing within the household</u>	4	
G2	((Managing money and personal finances)) <u>Making choices and decisions</u>	2 or more	Protection and Advocacy
G3	Protecting self from exploitation	2 or more	
G7	((Making choices and decisions)) <u>Managing money and personal finances</u>	2 or more	

(2) If you have a support score of one or more for any of the questions in the SIS exceptional medical support needs scale, ~~((DDD))~~ DDA must address your support need using the medical supports category.

(3) If you have a support score of one or more for any of the questions in the SIS exceptional behavior support needs scale, ~~((DDD))~~ DDA must address your support need using the behavior supports category.

AMENDATORY SECTION (Amending WSR 08-15-091, filed 7/17/08, effective 7/17/08)

WAC 388-828-9560 How does the residential algorithm determine your daily support needs score? The residential algorithm determines that you have daily support needs if you meet or exceed all of the qualifying scores for one or more of the following activities from the SIS:

Qualifying Scores from Supports Intensity Scale (per WAC 388-828-4200 through 388-828-4320)			
SIS Activity	If your score for type of support is:	And your score for frequency of support is:	And your daily support time is:
((A1: Using the toilet)) <u>A2: Bathing and taking care of personal hygiene and grooming needs</u>	2 or more	3 or more	1 or more
((A4: Eating food)) <u>A3: Using the toilet</u>	2 or more	3 or more	1 or more
((A6)) <u>A4: Dressing</u>	2 or more	3 or more	1 or more
((A7: Bathing, personal hygiene, grooming)) <u>A6: Eating food</u>	2 or more	3 or more	1 or more
<u>A9: Using currently prescribed equipment or ((treatments)) treatment</u>	2 or more	3 or more	1 or more
<u>E1: Taking medication</u>	2 or more	3 or more	1 or more
<u>E2: ((Avoiding health and safety hazards)) Ambulating and moving about</u>	((+)) <u>3</u> or more	3 or more	1 or more
((E4: Ambulating and moving about)) <u>E3: Avoiding health and safety hazards</u>	((3)) <u>1</u> or more	3 or more	1 or more
Or			
Any combination of 3 of the SIS activities listed above ((A1)) <u>A2, A3, A4, A6, ((A7,)) A9, E1, E2, ((E4)) E3</u>	1 or more	3 or more	1 or more

AMENDATORY SECTION (Amending WSR 08-15-091, filed 7/17/08, effective 7/17/08)

WAC 388-828-9580 How does the residential algorithm determine your mid-frequency support needs score? The residential algorithm determines that you have mid-frequency support needs if you meet one of the following three conditions:

(1) You meet or exceed all of the qualifying scores for one or more of the following activities from the SIS assessment:

Qualifying Scores from Supports Intensity Scale (per WAC 388-828-4200 through 388-828-4320)			
SIS Activity	If your type of support score is:	And your frequency of support score is:	And your daily support time score is:
((A3)) <u>A5: Preparing food</u>	2 or more	2 or more	2 or more

Qualifying Scores from Supports Intensity Scale (per WAC 388-828-4200 through 388-828-4320)			
SIS Activity	If your type of support score is:	And your frequency of support score is:	And your daily support time score is:
((A5)) <u>A8: Housekeeping and cleaning</u>	3 or more	3 or more	2 or more
B2: Participating in recreational/leisure activities in community settings	3 or more	2 or more	2 or more
B7: Interacting with community members	3 or more	2 or more	2 or more
G3: Protecting self from exploitation	2 or more	2 or more	2 or more

(2) Or you meet or exceed all of the qualifying scores for four or more of the following activities from the SIS assessment:

Qualifying Scores from Supports Intensity Scale (per WAC 388-828-4200 through 388-828-4320)				
SIS Activity	If your type of support score is:	And your frequency of support score is:	And your daily support time score is:	Score if you meet or exceed criteria
((A1: <u>Using the toilet</u>)) <u>A2: Bathing and taking care of personal hygiene and grooming needs</u>	1 or more	2 or more	1 or more	
A3: ((Preparing food)) <u>Using the toilet</u>	1 or more	2 or more	1 or more	
A4: ((Eating food)) <u>Dressing</u>	1 or more	2 or more	1 or more	
A5: ((Housekeeping and cleaning)) <u>Preparing food</u>	1 or more	2 or more	1 or more	
A6: ((Dressing)) <u>Eating food</u>	1 or more	2 or more	1 or more	
((A7: Bathing, personal hygiene and grooming)) <u>A8: Housekeeping and cleaning</u>	1 or more	2 or more	1 or more	
A9: Using currently prescribed equipment and medications	1 or more	2 or more	1 or more	
B2: Participating in recreational/leisure activities in community settings	1 or more	2 or more	1 or more	
B7: Interacting with community members	1 or more	2 or more	1 or more	
E1: Taking medications	1 or more	2 or more	1 or more	
E2: ((Avoiding health and safety hazards)) <u>Ambulating and moving about</u>	1 or more	2 or more	1 or more	
((E4: Ambulating and moving about)) <u>E3: Avoiding health and safety hazards</u>	1 or more	2 or more	1 or more	
G3: Protecting self from exploitation	1 or more	2 or more	1 or more	
Total of all questions where criteria is met or exceed =				Sum of scores entered

(3) Or you meet the qualifying scores for the following SIS activities and your total weekly critical support time score exceeds ten hours:

Qualifying Scores from Supports Intensity Scale (per WAC 388-828-4200 through 388-828-4320)					
SIS Activity	If your type of support score is:	And your frequency of support score is:	And your daily support time score is:	Your weekly critical support time is:	Enter one time for each qualifying SIS activity
((A2)) <u>A7</u> : Taking care of clothes ((includes)) , including laundering ((s))	1 or more	2 or more	0	0	
			1	.25	
			2	1	
			3	3	
			4	5	
((B3)) <u>B5</u> : Using public services in the community	1 or more	2 or more	0	0	
			1	.25	
			2	1	
			3	3	
			4	5	
B6: Shopping and purchasing ((foods)) <u>goods</u> and services	1 or more	2 or more	0	0	
			1	.25	
			2	1	
			3	3	
			4	5	
F2: ((Participation)) <u>Participating in</u> ((recreational)) <u>recreation/leisure</u> activities with others	1 or more	2 or more	0	0	
			1	.25	
			2	1	
			3	3	
			4	5	
F8: Engaging in volunteer work	1 or more	2 or more	0	0	
			1	.25	
			2	1	
			3	3	
			4	5	
((G2)) <u>G7</u> : Managing money and personal finances	1 or more	2 or more	0	0	
			1	.25	
			2	1	
			3	3	
			4	5	
Mid-frequency support needs weekly critical support time total =					Sum of times entered

AMENDATORY SECTION (Amending WSR 08-15-091, filed 7/17/08, effective 7/17/08)

WAC 388-828-9650 How does the residential algorithm determine your toileting support needs score? The residential algorithm adds the three dimensions of the SIS activity "~~((A1))~~A3: Using the toilet" (see WAC 388-828-4200) to determine your toileting support score. Formula:

$$\begin{aligned}
& \text{Type of support score (0-4)} \\
& + \\
& \text{Frequency of support score (0-4)} \\
& + \\
& \text{Daily support time score (0-4)} \\
& = \\
& \text{Toileting support needs score (0-12)}
\end{aligned}$$

AMENDATORY SECTION (Amending WSR 08-15-091, filed 7/17/08, effective 7/17/08)

WAC 388-828-9660 How does the residential algorithm calculate your daily critical support time? The residential algorithm uses the following chart to calculate your daily critical support time score:

Qualifying Scores from Supports Intensity Scale (per WAC 388-828-4200 through 388-828-4320)						
SIS Activity:	If your type of support is:	And your frequency of support score is:	And your daily support time score is:	Then your critical task hours =	Enter one time for each SIS activity	
((A1: Using the toilet) A2: Bathing and taking care of personal hygiene and grooming needs	1 or more	0	0 or more	0		
		1	0 or more	0		
		2	0 or more	0		
		3	0	0		
			1	.25		
			2	1		
			3	3		
		4	4	5		
			0	0		
			1	.25		
			2	1		
				3		3
				4		5

Qualifying Scores from Supports Intensity Scale
(per WAC 388-828-4200 through 388-828-4320)

SIS Activity:	If your type of support is:	And your frequency of support score is:	And your daily support time score is:	Then your critical task hours =	Enter one time for each SIS activity				
((A4: Eating food) A3: <u>Using the toilet</u>)	1 or more	0	0 or more	0					
		1	0 or more	0					
		2	0 or more	0					
		3	0	0					
			1	.25					
			2	1					
			3	3					
		4	4	5					
			0	0					
			1	.25					
			2	1					
			3	3					
			4	5					
			((A6) A4: Dressing)	1 or more		0	0 or more	0	
						1	0 or more	0	
		2				0 or more	0		
3	0	0							
	1	.25							
	2	1							
	3	3							
4	4	5							
	0	0							
	1	.25							
	2	1							
	3	3							
	4	5							
	((A7: Bathing and taking care of personal hygiene and grooming needs) A6: <u>Eating food</u>)	1 or more			0	0 or more	0		
					1	0 or more	0		
2					0 or more	0			
3			0	0					
			1	.25					
			2	1					
			3	3					
4			4	5					
			0	0					
			1	.25					
			2	1					
			3	3					
			4	5					

**Qualifying Scores from Supports Intensity Scale
(per WAC 388-828-4200 through 388-828-4320)**

SIS Activity:	If your type of support is:	And your frequency of support score is:	And your daily support time score is:	Then your critical task hours =	Enter one time for each SIS activity			
A9: Using currently prescribed equipment or treatment	1 or more	0	0 or more	0				
		1	0 or more	0				
		2	0 or more	0				
		3	0	0				
			1	.25				
			2	1				
			3	3				
		4	4	5				
			0	0				
			1	.25				
			2	1				
		E1: Taking medications	1 or more	0		0 or more	0	
				1		0 or more	0	
				2		0 or more	0	
				3		0	0	
						1	.25	
2	1							
3	3							
4	4			5				
	0			0				
	1			.25				
	2			1				
E2: ((Avoiding health and safety hazards)) <u>Ambulating and moving about</u>	1 or more			0	0 or more	0		
				1	0 or more	0		
				2	0 or more	0		
				3	0	0		
					1	.25		
		2	1					
		3	3					
		4	4	5				
			0	0				
			1	.25				
			2	1				
			3	3				
			4	5				

Qualifying Scores from Supports Intensity Scale (per WAC 388-828-4200 through 388-828-4320)								
SIS Activity:	If your type of support is:	And your frequency of support score is:	And your daily support time score is:	Then your critical task hours =	Enter one time for each SIS activity			
((E4: Ambulating and moving about) E3: <u>Avoiding health and safety hazards</u>)	1 or more	0	0 or more	0				
		1	0 or more	0				
		2	0 or more	0				
		3	0	0				
			1	.25				
			2	1				
			3	3				
		4	4	5				
			0	0				
			1	.25				
			2	1				
				3				
				4			5	
		Daily critical support time score =					Sum of all times entered.	

AMENDATORY SECTION (Amending WSR 08-15-091, filed 7/17/08, effective 7/17/08)

WAC 388-828-9670 How does the residential algorithm calculate your mid-frequency critical support time? The residential algorithm uses the following chart to calculate your mid-frequency critical support time score:

Qualifying Scores from Supports Intensity Scale (per WAC 388-828-4200 through 388-828-4320)					
SIS Activity	If your type of support is:	And your frequency of support score is:	And your daily support time score is:	Then your critical task hours =	Enter one time for each SIS activity
((A1: Using the toilet) A2: <u>Bathing and taking care of personal hygiene and grooming needs*</u>)	1 or more	0	0 or more	0	
		1	0 or more	0	
		2	0	0	
			1	.25	
			2	1	
			3	3	
		3	4	5	
			0 or more	0	
		4	0 or more	0	
A3: ((Preparing food) <u>Using the toilet</u>)	1 or more	0	0 or more	0	
		1	0 or more	0	

Qualifying Scores from Supports Intensity Scale
(per WAC 388-828-4200 through 388-828-4320)

SIS Activity	If your type of support is:	And your frequency of support score is:	And your daily support time score is:	Then your critical task hours =	Enter one time for each SIS activity
		2	0	0	
			1	.25	
			2	1	
			3	3	
			4	5	
		3	0	0	
			1	.25	
			2	1	
			3	3	
			4	5	
		4	0	0	
			1	.25	
			2	1	
			3	3	
			4	5	
		A4: ((Eating food)) <u>Dressing*</u>	1 or more	0	
1	0 or more			0	
2	0			0	
	1			.25	
	2			1	
	3			3	
4	5				
3	0 or more			0	
4	0 or more			0	
A5: ((Housekeeping and cleaning)) <u>Preparing food</u>	1 or more			0	0 or more
		1	0 or more	0	
		2	0	0	
			1	.25	
			2	1	
			3	3	
			4	5	
		3	0	0	
			1	.25	
			2	1	
			3	3	
			4	5	
		4	0	0	
			1	.25	
			2	1	
			3	3	
4	5				
A6: ((Dressing)) <u>Eating food*</u>	1 or more	0	0 or more	0	
		1	0 or more	0	

Qualifying Scores from Supports Intensity Scale
(per WAC 388-828-4200 through 388-828-4320)

SIS Activity	If your type of support is:	And your frequency of support score is:	And your daily support time score is:	Then your critical task hours =	Enter one time for each SIS activity
		2	0	0	
			1	.25	
			2	1	
			3	3	
			4	5	
		3	0 or more	0	
		4	0 or more	0	
((A7: Bathing and taking care of personal hygiene and grooming needs*)) A8: Housekeeping and cleaning	1 or more	0	0 or more	0	
			0 or more	0	
			0	0	
			1	.25	
			2	1	
			3	3	
		4	5		
		3	0 or more	0	
4	0 or more	0			
A9: Using currently prescribed equipment or treatment*	1 or more	0	0 or more	0	
			0 or more	0	
			0	0	
			1	.25	
			2	1	
			3	3	
		4	5		
		3	0 or more	0	
4	0 or more	0			
B2: Participating in recreation/leisure activities in community ((settings))	1 or more	0	0 or more	0	
			0 or more	0	
			0	0	
			1	.25	
		2	2	1	
			3	3	
			4	5	
			0	0	
		3	1	.25	
			2	1	
			3	3	
			4	5	
		4	0	0	
			1	.25	
			2	1	
			3	3	
	4	5			

Qualifying Scores from Supports Intensity Scale
(per WAC 388-828-4200 through 388-828-4320)

SIS Activity	If your type of support is:	And your frequency of support score is:	And your daily support time score is:	Then your critical task hours =	Enter one time for each SIS activity			
B7: Interacting with community members	1 or more	0	0 or more	0				
		1	0 or more	0				
		2	0	0				
			1	.25				
			2	1				
			3	3				
		3	0	0				
			1	.25				
			2	1				
			3	3				
		4	0	0				
			1	.25				
			2	1				
			3	3				
		E1: Taking medications*	1 or more	0		0 or more	0	
				1		0 or more	0	
2	0			0				
	1			.25				
	2			1				
	3			3				
3	0 or more			0				
	4			5				
	0 or more			0				
	0 or more			0				
E2: ((Avoiding health and safety hazards)) <u>Ambulating and moving about*</u>	1 or more			0	0 or more	0		
				1	0 or more	0		
				2	0	0		
					1	.25		
					2	1		
					3	3		
		3	0 or more	0				
			4	5				
			0 or more	0				
			0 or more	0				
		((E4: Ambulating and moving about)) E3: <u>Avoiding health and safety hazards*</u>	1 or more	0	0 or more	0		
				1	0 or more	0		
				2	0	0		
					1	.25		
					2	1		
					3	3		
3	0 or more			0				
	4			5				
	0 or more			0				
	0 or more			0				

Qualifying Scores from Supports Intensity Scale (per WAC 388-828-4200 through 388-828-4320)								
SIS Activity	If your type of support is:	And your frequency of support score is:	And your daily support time score is:	Then your critical task hours =	Enter one time for each SIS activity			
		3	0 or more	0				
		4	0 or more	0				
G3: Protecting self from exploitation	1 or more	0	0 or more	0				
		1	0 or more	0				
		2	0	0				
			1	.25				
			2	1				
			3	3				
		3	0	0				
			1	.25				
			2	1				
			3	3				
		4	0	0				
			1	.25				
			2	1				
			3	3				
		Mid-frequency critical support time score =					Sum of all times entered	
		*Daily support activities that have less than daily support needs are added into the mid-frequency critical support time score.						

AMENDATORY SECTION (Amending WSR 08-15-091, filed 7/17/08, effective 7/17/08)

WAC 388-828-9680 How does the residential algorithm determine your weekly critical support time? The residential algorithm uses the following chart to calculate your weekly critical support time score:

Qualifying Scores from Supports Intensity Scale (per WAC 388-828-4200 through 388-828-4320)					
SIS Activity	If your type of support is:	And your frequency of support score is:	And your daily support time score is:	Then your critical task hours =	Enter one time for each SIS activity
((A2)) A7: Taking care of clothes (including laundering)	1 or more	0	0 or more	0	
		1	0 or more	0	
		2	0	0	
			1	.25	
			2	1	
			3	3	
		4	5		

**Qualifying Scores from Supports Intensity Scale
(per WAC 388-828-4200 through 388-828-4320)**

SIS Activity	If your type of support is:	And your frequency of support score is:	And your daily support time score is:	Then your critical task hours =	Enter one time for each SIS activity		
		3	0	0			
			1	.25			
			2	1			
			3	3			
			4	5			
		4	0	0			
			1	.25			
			2	1			
			3	3			
			4	5			
		(B3) B5: Using public services in the community	1 or more	0		0 or more	0
						0 or more	0
2	0			0			
	1			.25			
	2			1			
	3			3			
	4			5			
3	0			0			
	1			.25			
	2			1			
	3			3			
	4			5			
4	0			0			
	1			.25			
	2			1			
	3			3			
	4			5			
	B6: Shopping and purchasing goods and services			1 or more	0	0 or more	0
						0 or more	0
					2	0	0
1		.25					
2		1					
3		3					
4		5					
3		0	0				
		1	.25				
		2	1				
		3	3				
		4	5				

Qualifying Scores from Supports Intensity Scale
(per WAC 388-828-4200 through 388-828-4320)

SIS Activity	If your type of support is:	And your frequency of support score is:	And your daily support time score is:	Then your critical task hours =	Enter one time for each SIS activity		
		4	0	0			
			1	.25			
			2	1			
			3	3			
			4	5			
F2: Participating in recreation ((and/or)) / leisure activities with others	1 or more	0	0 or more	0			
		1	0 or more	0			
		2	0	0			
			1	.25			
			2	1			
			3	3			
		3	0	0			
			1	.25			
			2	1			
			3	3			
		4	0	0			
			1	.25			
			2	1			
			3	3			
		F8: Engaging in volunteer work	1 or more	0	0 or more	0	
				1	0 or more	0	
2	0			0			
	1			.25			
	2			1			
	3			3			
3	0			0			
	1			.25			
	2			1			
	3			3			
4	0			0			
	1			.25			
	2			1			
	3			3			
				4	5		

Qualifying Scores from Supports Intensity Scale
(per WAC 388-828-4200 through 388-828-4320)

SIS Activity	If your type of support is:	And your frequency of support score is:	And your daily support time score is:	Then your critical task hours =	Enter one time for each SIS activity			
((G2)) G7: Managing money and personal finances	1 or more	0	0 or more	0				
		1	0 or more	0				
		2	0	0				
			1	.25				
			2	1				
			3	3				
			4	5				
		3	0	0				
			1	.25				
			2	1				
			3	3				
			4	5				
		4	0	0				
			1	.25				
			2	1				
			3	3				
			4	5				
		Weekly critical support time score =					Sum of all times entered	